



### Tapichalaca Bird List

This list includes birds seen in the present Tapichalaca Reserve (hopefully set for further expansion), including along the main road from the Podocarpus NP border (2650 m) down to the Río Valladolid bridge just before the town of that name. It also includes the area of Podocarpus NP along the road up to where it crosses the Cordillera de Sabanilla at ca. 2770 m, as well as the paramo on the same ridge, accessed by several FJ trails. Species that have been found only in the Valladolid area (e.g., in the shrubby clearings and woodland patches just below town), or in the Río Numbala region (accessed via the road to Tapala, and which we hope will eventually be incorporated into the reserve) are placed in brackets, and have been given no status listing. The elevation spread is ca. 1200-3400 m.

Nomenclature follows *The Birds of Ecuador*, with a few updates. The status terms employed here are the usual (common, fairly common, uncommon, rare, and very rare) and refer to abundance levels in the appropriate habitat and elevation range. Note that certain species are much more easily heard than seen, and that this has been taken into account in determining abundance levels. Note further that many areas the forest is regenerating, and thus in coming years certain bird species will doubtless increase, while others just as surely will decline.

Study of the birdlife of this rich region has only just begun, and we are aware that the status of many species requires clarification. Observations in addition to or at variance with what is presented here are solicited. Pass these on to reserve staff, to F. Sornoza at the Fundación Jocotoco office in Quito, or to RSR at "rridgely@earthlink.net"

- Highland Tinamou, *Nothocercus bonapartei* - R
- Tawny-breasted Tinamou, *Nothocercus julius* - R
- [Fasciated Tiger Heron, *Tigrisoma fasciatum* - Río Numbala]
- Torrent Duck, *Merganetta armata* - U
- Andean Teal, *Anas andium* - U
- Wood Stork, *Mycteria americana* - VR
- Black Vulture, *Coragyps atratus* - U
- Turkey Vulture, *Cathartes aura* - U
- Swallow-tailed Kite, *Elanoides forficatus* - U
- [Double-toothed Kite, *Harpagus bidentatus* - Río Numbala]
- Bicolored Hawk, *Accipiter bicolor* - VR
- Plain-breasted Hawk, *Accipiter ventralis* - U
- Semicollared Hawk, *Accipiter collaris* - VR

- Montane Solitary Eagle, *Harpyhaliaetus solitarius* - VR
- Black-chested Buzzard-Eagle, *Geranoaetus melanoleucus* - R
- Roadside Hawk, *Buteo magnirostris* - FC
- White-rumped Hawk, *Buteo leucorrhous* - R
- Broad-winged Hawk, *Buteo platypterus* - FC
- White-throated Hawk, *Buteo albigula* - R
- Variable Hawk, *Buteo polyosoma* - R
- Black-and-chestnut Eagle, *Oroaetus isidori* - R
- American Kestrel, *Falco sparverius* - R
- [Speckled Chachalaca, *Ortalis guttata* - below Valladolid]
- Bearded Guan, *Penelope barbata* - U
- Sickle-winged Guan, *Chamaepetes goudotii* - U
- Rufous-breasted Wood Quail, *Odontophorus speciosus* - R
- Blackish Rail, *Pardirallus nigricans* - R
- Spotted Sandpiper, *Actitis macularius* - R
- Upland Sandpiper, *Bartramia longicauda* - R
- Baird's Sandpiper, *Calidris bairdii* - R
- Andean Snipe, *Gallinago jamesoni* - FC
- Imperial Snipe, *Gallinago imperialis* - U
- Band-tailed Pigeon, *Patagioenas fasciata* - C
- Ruddy Pigeon, *Patagioenas subvinacea* - U
- Maroon-chested Ground Dove, *Claravis mondetoura* - R
- [White-tipped Dove, *Leptotila verreauxi* - below Valladolid; Río Numbala]
- White-throated Quail-Dove, *Geotrygon frenata* - U
- White-eyed Parakeet, *Aratinga leucophthalma* (the identity of these birds, atypical for the species - they have little or no yellow on their underwing-coverts, and show variable but usually considerable red on foreneck as well as a scattering of red feathers on head - remains undetermined) - U
- Golden-plumed Parakeet, *Leptosittaca branickii* - U
- White-breasted Parakeet, *Pyrrhura albipectus* - R
- Barred Parakeet, *Bolborhynchus lineola* - U
- [Spot-winged Parrotlet, *Touit stictopectus* - below Valladolid]
- Red-billed Parrot, *Pionus sordidus* - FC
- White-capped Parrot, *Pionus seniloides* - FC
- Scaly-naped Amazon, *Amazona mercenaria* - FC
- Squirrel Cuckoo, *Piaya cayana* - U
- Smooth-billed Ani, *Crotophaga ani* - U
- [Striped Cuckoo, *Tapera naevia* - Valladolid]
- [Barn Owl, *Tyto alba* - Valladolid]

- Rufescent Screech Owl, *Megascops ingens* - R
- White-throated Screech Owl, *Megascops albogularis* - U
- Andean Pygmy Owl, *Glaucidium jardiinii* - R
- [Subtropical Pygmy Owl, *Glaucidium parkeri* - Río Numbala]
- Rufous-banded Owl, *Strix albitarsis* - U
- Short-eared Owl, *Asio flammeus* - R
- Oilbird, *Steatornis caripensis* - R
- Common Potoo, *Nyctibius griseus* - R
- Andean Potoo, *Nyctibius maculosus* - R
- Rufous-bellied Nighthawk, *Lurocalis rufiventris* - R
- Pauraque, *Nyctidromus albicollis* - FC
- Band-winged Nightjar, *Caprimulgus longirostris* - U
- Swallow-tailed Nightjar, *Uropsalis segmentata* - U
- Lyre-tailed Nightjar, *Uropsalis lyra* - R
- White-collared Swift, *Streptoprocne zonaris* - U
- Chestnut-collared Swift, *Cypseloides rutilus* - U
- [White-tipped Swift, *Aeronautes montivagus* - Río Numbala]
- Green Hermit, *Phaethornis guy* - R
- Tawny-bellied Hermit, *Phaethornis syrmatophorus* - U
- [Gray-chinned Hermit, *Phaethornis griseogularis* - Río Numbala]
- White-tipped Sicklebill, *Eutoxeres aquila* - R
- Green-fronted Lancebill, *Doryfera ludovicae* - U
- Green Violetear, *Colibri thalassinus* - R
- Sparkling Violetear, *Colibri coruscans* - R
- [Violet-headed Hummingbird, *Klais guimeti* - Río Numbala]
- [Wire-crested Thorntail, *Popelairia popelairii* - Río Numbala]
- [Black-bellied Thorntail, *Popelairia langsdorffi* - Río Numbala]
- [Golden-tailed Sapphire, *Chrysuronia oenone* - Río Numbala]
- Andean Emerald, *Amazilia franciae* - R
- Speckled Hummingbird, *Adelomyia melanogenys* - FC
- Fawn-breasted Brilliant, *Heliodoxa rubinoides* - FC
- Andean Hillstar, *Oreotrochilus estella* - R
- Shining Sunbeam, *Aglaeactis cupripennis* - U
- Mountain Velvetbreast, *Lafresnaya lafresnayi* - U
- Great Sapphirewing, *Pterophanes cyanopterus* - U
- Bronzy Inca, *Coeligena coeligena* - U
- Collared Inca, *Coeligena torquata* - C
- Buff-winged Starfrontlet, *Coeligena lutetiae* - FC

- Chestnut-breasted Coronet, *Boissonneaua matthewsii* - C
- Amethyst-throated Sunangel, *Heliangelus amethysticollis* - C
- Flame-throated Sunangel, *Heliangelus micraster* - C
- Glowing Puffleg, *Eriocnemis vestita* - FC
- Greenish Puffleg, *Haplophaedia aureliae* - U
- Booted Racket-tail, *Ocreatus underwoodii* - R
- Viridian Metaltail, *Metallura williami* - VR
- Neblina Metaltail, *Metallura odomae* - FC
- Tyrian Metaltail, *Metallura tyrianthina* - U
- Rufous-capped Thornbill, *Chalcostigma ruficeps* - U
- Rainbow-bearded Thornbill, *Chalcostigma herrani* - U
- Long-tailed Sylph, *Agelaiocercus kingi* - FC
- [Long-billed Starthroat, *Heliomaster longirostris* - Valladolid]
- [Purple-collared Woodstar, *Myrtis fanny* - below Valladolid]
- White-bellied Woodstar, *Chaetocercus mulsant* - FC
- [Little Woodstar, *Chaetocercus bombus* - Río Numbala]
- Golden-headed Quetzal, *Pharomachrus auriceps* - U
- Crested Quetzal, *Pharomachrus antisianus* - R
- Masked Trogon, *Trogon personatus* - U
- Green Kingfisher, *Chloroceryle americana* - R
- Highland Motmot, *Momotus aequatorialis* - R
- [Coppery-chested Jacamar, *Galbula pastazae* - Río Numbala]
- [Striolated Puffbird, *Nystalus striolatus* - Río Numbala]
- White-faced Nunbird, *Hapaloptila castanea* - R
- [Red-headed Barbet, *Eubucco bourcierii* - below Valladolid; Río Numbala]
- Emerald Toucanet, *Aulacorhynchus prasinus* - U
- [Chestnut-tipped Toucanet, *Aulacorhynchus derbianus* - Río Numbala]
- Gray-breasted Mountain Toucan, *Andigena hypoglauca* - U
- Black-billed Mountain Toucan, *Andigena nigrirostris* - R
- [Black-mandibled Toucan, *Ramphastos ambiguus* - Río Numbala]
- Lafresnaye's Piculet, *Picumnus lafresnayi* - U
- Crimson-mantled Woodpecker, *Piculus rivoli* - FC
- Golden-olive Woodpecker, *Piculus rubiginosus* - U
- Smoky-brown Woodpecker, *Veniliornis fumigatus* - FC
- Yellow-vented Woodpecker, *Veniliornis dignus* - U
- Bar-bellied Woodpecker, *Venilornis nigriceps* - U
- Powerful Woodpecker, *Campephilus pollens* - U
- Crimson-bellied Woodpecker, *Campephilus haematogaster* - R

- Bar-winged Cinclodes, *Cinclodes fuscus* - R
- Azara's Spinetail, *Synallaxis azarae* - FC
- Rufous Spinetail, *Synallaxis unirufa* - FC
- White-browed Spinetail, *Hellmayrea gularis* - FC
- Ash-browed Spinetail, *Cranioleuca curtata* - U
- Mouse-colored Thistletail, *Schizoeaca griseomurina* - C
- Many-striped Canastero, *Asthenes flammulata* - FC
- [Rufous-fronted Thornbird, *Phacellodomus rufifrons* - below Valladolid]
- Spectacled Prickletail, *Siptornis striaticollis* - R
- [Equatorial Graytail, *Xenerpestes singularis* - Río Numbala]
- Streaked Tuftedcheek, *Pseudocolaptes boissonneautii* - FC
- Pearled Treerunner, *Margarornis squamiger* - C
- Spotted Barbtail, *Premnoplex brunnescens* - U
- Lineated Foliage-gleaner, *Syndactyla subalaris* - U
- Montane Foliage-gleaner, *Anabacerthia striaticollis* - FC
- Flammulated Treehunter, *Thripadectes flammulatus* - R
- Striped Treehunter, *Thripadectes holostictus* - U
- Streaked Xenops, *Xenops rutilans* - U
- Sharp-tailed Streamcreeper, *Lochmias nematura* - R
- Tyrannine Woodcreeper, *Dendrocincla tyrannina* - U
- [Olivaceous Woodcreeper, *Sittasomus griseicapillus* - Río Numbala]
- Strong-billed Woodcreeper, *Xiphocolaptes promeropirhynchus* - R
- Olive-backed Woodcreeper, *Xiphorhynchus triangularis* - U
- Montane Woodcreeper, *Lepidocolaptes lacrymiger* - FC
- Greater Scythebill, *Campylorhamphus pucherani* - R
- [Brown-billed Scythebill, *Campylorhamphus pusillus* - Río Numbala]
- [Lined Antshrike, *Thamnophilus tenuipunctatus* - below Valladolid; Río Numbala]
- Uniform Antshrike, *Thamnophilus unicolor* - R
- [Russet Antshrike, *Thamnistes anabatinus* - Río Numbala]
- [White-streaked Antwren, *Dysithamnus leucostictus* - Río Numbala]
- Bicolored Antwren, *Dysithamnus occidentalis* - R
- [Foothill Antwren, *Myrmotherula spodionota* - Río Numbala]
- [Slaty Antwren, *Myrmotherula schisticolor* - Río Numbala]
- [Yellow-breasted Antwren, *Herpsilochmus axillaris* - below Valladolid; Río Numbala]
- Long-tailed Antbird, *Drymophila caudata* - U
- Rufous-rumped Antwren, *Terenura callinota* - R
- Rufous-breasted Antthrush, *Formicarius rufipectus* - U

- Barred Antthrush, *Chamaeza molissima* - R
- Undulated Antpitta, *Grallaria squamigera* - R
- Chestnut-crowned Antpitta, *Grallaria ruficapilla* - R
- Jocotoco Antpitta, *Grallaria ridgelyi* - R
- Chestnut-naped Antpitta, *Grallaria nuchalis* - FC
- White-bellied Antpitta, *Grallaria hypoleuca* - U
- Rufous Antpitta, *Grallaria rufula* - C
- Tawny Antpitta, *Grallaria quitensis* - FC
- Slate-crowned Antpitta, *Grallaricula nana* - FC
- Peruvian Antpitta, *Grallaricula peruviana* - R
- Chestnut-crowned Gnateater, *Conopophaga castaneiceps* - R
- Ash-colored Tapaculo, *Myornis senilis* - FC
- Blackish Tapaculo, *Scytalopus latrans* - U
- Long-tailed (Equatorial Rufous-vented) Tapaculo, *Scytalopus micropterus* - U
- Chusquea Tapaculo, *Scytalopus parkeri* - FC
- Paramo Tapaculo, *Scytalopus canus* - C
- Ocellated Tapaculo, *Acropternis orthonyx* - U
- [White-fronted Tyrannulet, *Phyllomyias zeledoni* - Río Numbala]
- [Plumbeous-crowned Tyrannulet, *Phyllomyias plumbeiceps* - Río Numbala]
- Black-capped Tyrannulet, *Phyllomyias nigrocapillus* - U
- Ashy-headed Tyrannulet, *Phyllomyias cinereiceps* - R
- [Golden-faced Tyrannulet, *Zimmerius chrysops* - Río Numbala]
- Loja Tyrannulet, *Zimmerius flavidifrons* - U
- [Southern Beardless Tyrannulet, *Camptostoma obsoletum* - Valladolid]
- Yellow-bellied Elaenia, *Elaenia flavogaster* - U
- [Lesser Elaenia, *Elaenia chiriquensis* - Valladolid]
- [Mottle-backed Elaenia, *Elaenia gigas* - Valladolid; Río Numbala]
- Highland Elaenia, *Elaenia obscura* - R
- Sierran Elaenia, *Elaenia pallatangae* - U
- White-throated Tyrannulet, *Mecocerculus leucophrys* - U
- White-banded Tyrannulet, *Mecocerculus stictopterus* - FC
- White-tailed Tyrannulet, *Mecocerculus poecilocercus* - FC
- Rufous-winged Tyrannulet, *Mecocerculus calopterus* - VR
- Sulphur-bellied Tyrannulet, *Mecocerculus minor* - U
- Torrent Tyrannulet, *Serpophaga cinerea* - U
- Streak-necked Flycatcher, *Mionectes striaticollis* - FC
- [Slaty-capped Flycatcher, *Leptopogon superciliaris* - Río Numbala; below Valladolid]

- Rufous-breasted Flycatcher, *Leptopogon rufipectus* - U
- [Rufous-browed Tyrannulet, *Phylloscartes superciliaris* - Río Numbala]
- Marble-faced Bristle Tyrant, *Pogonotriccus ophthalmicus* - R
- Bronze-olive Pygmy-Tyrant, *Pseudotriccus pelzelni* - U
- Rufous-headed Pygmy-Tyrant, *Pseudotriccus ruficeps* - FC
- [Scale-crested Pygmy-Tyrant, *Lophotriccus pileatus* - below Valladolid]
- Black-throated Tody-Tyrant, *Hemitriccus granadensis* - FC
- Rufous-crowned Tody-Flycatcher, *Poecilotriccus ruficeps* - U
- Common Tody-Flycatcher, *Todirostrum cinereum* - U
- Fulvous-breasted Flatbill, *Rhynchocyclus fulvipectus* - R
- [Yellow-olive Flatbill, *Tolmomyias sulphurescens* - Río Numbala]
- [White-throated Spadebill, *Platyrinchus mystaceus* - Río Numbala]
- Flavescent Flycatcher, *Myiophobus flavicans* - U
- [Bran-colored Flycatcher, *Myiophobus fasciatus* - below Valladolid]
- Olive-chested Flycatcher, *Myiophobus cryptoxanthus* - U
- Orange-banded Flycatcher, *Myiophobus lintoni* - FC
- Cinnamon Flycatcher, *Pyrrhomyias cinnamomea* - FC
- [Western Wood Pewee, *Contopus sordidulus* - below Valladolid; Río Numbala]
- Smoke-colored Pewee, *Contopus fumigatus* - FC
- [Olive-sided Flycatcher, *Contopus cooperi* - Río Numbala]
- Black Phoebe, *Sayornis nigricans* - U
- Brown-backed Chat-Tyrant, *Ochthoeca fumicolor* - FC
- Rufous-breasted Chat-Tyrant, *Ochthoeca rufipectoralis* - FC
- Slaty-backed Chat-Tyrant, *Ochthoeca cinnamomeiventris* - U
- Crowned Chat-Tyrant, *Ochthoeca frontalis* - FC
- Yellow-bellied Chat-Tyrant, *Ochthoeca diadema* - FC
- Streak-throated Bush Tyrant, *Myiotheretes striaticollis* - R
- Smoky Bush Tyrant, *Myiotheretes fumigatus* - U
- [Cliff Flycatcher, *Hirundinea ferruginea* - Río Numbala]
- Rufous-tailed Tyrant, *Knipolegus poecilurus* - U
- [Long-tailed Tyrant, *Colonia colonus* - below Valladolid; Río Numbala]
- Dusky-capped Flycatcher, *Myiarchus tuberculifer* - FC
- Pale-edged Flycatcher, *Myiarchus cephalotes* - U
- Social Flycatcher, *Myiozetetes similis* - U
- Lemon-browed Flycatcher, *Conopias cinchoneti* - R
- Golden-crowned Flycatcher, *Myiodynastes chrysocephalus* - R
- [Piratic Flycatcher, *Legatus leucophaeus* - below Valladolid; Río Numbala]
- Tropical Kingbird, *Tyrannus melancholicus* - U

- [Yellow-cheeked Becard, *Pachyramphus xanthogenys* - below Valladolid; Río Numbala]
- Barred Becard, *Pachyramphus versicolor* - uncommon in forest, Barred Becard, *Pachyramphus versicolor* - U
- Black-and-white Becard, *Pachyramphus albogriseus* - VR
- Crested Becard, *Platypsaris validus* - VR
- Chestnut-crested Cotinga, *Ampelion rufaxilla* - R
- Barred Fruiteater, *Pipreola arcuata* - FC
- Green-and-black Fruiteater, *Pipreola riefferii* - FC
- Dusky Piha, *Lipaugus fuscocinereus* - U
- Olivaceous Piha, *Snowornis cryptolophus* - R
- [Amazonian Umbrellabird, *Cephalopterus ornatus* - Río Numbala]
- Andean Cock-of-the-rock, *Rupicola peruviana* - R
- Turquoise Jay, *Cyanolyca turcosa* - FC
- Inca Jay, *Cyanolyca inca* - C
- Rufous-browed Peppershrike, *Cyclarhis gujanensis* - FC
- [Red-eyed Vireo, *Vireo olivaceus* - below Valladolid; Río Numbala]
- Brown-capped Vireo, *Vireo leucophrys* - FC
- [Olivaceous Greenlet, *Hylophilus olivaceus* - below Valladolid; Río Numbala]
- Andean Solitaire, *Myadestes ralloides* - FC
- Slaty-backed Nightingale-Thrush, *Catharus fuscater* - R
- Swainson's Thrush, *Catharus ustulatus* - U
- Pale-eyed Thrush, *Platycichla leucops* - R
- Great Thrush, *Turdus fuscater* - FC
- Glossy-black Thrush, *Turdus serranus* - FC
- Chestnut-bellied Thrush, *Turdus fulviventris* - U
- Marañón Thrush, *Turdus maranonicus* - U
- [Black-billed Thrush, *Turdus ignobilis* - Valladolid]
- [White-necked Thrush, *Turdus albicollis* - below Valladolid]
- White-capped Dipper, *Cinclus leucocephalus* - U
- Brown-bellied Swallow, *Notiochelidon murina* - FC
- Blue-and-white Swallow, *Notiochelidon cyanoleuca* - C
- Pale-footed Swallow, *Notiochelidon flavipes* - U
- Southern Rough-winged Swallow, *Stelgidopteryx ruficollis* - R
- Gray-mantled Wren, *Odontorchilus branickii* - R
- Rufous Wren, *Cinnycerthia unirufa* - FC
- Sepia-brown Wren, *Cinnycerthia olivascens* - U
- Grass Wren, *Cistothorus platensis* - FC
- Plain-tailed Wren, *Thryothorus euophrys* - FC



- Speckle-breasted Wren, *Thryothorus sclateri* - U
- Southern House Wren, *Troglodytes musculus* - U
- Mountain Wren, *Troglodytes solstitialis* - U
- Gray-breasted Wood Wren, *Henicorhina leucophrys* - C
- Chestnut-breasted Wren, *Cyphorhinus thoracicus* - R
- Tropical Parula, *Parula pitiayumi* - FC
- [Cerulean Warbler, *Dendroica cerulea* - below Valladolid; Río Numbala]
- Blackburnian Warbler, *Dendroica fusca* - FC
- [Black-lored Yellowthroat, *Geothlypis auricularis* - Valladolid]
- Canada Warbler, *Wilsonia canadensis* - U
- Slate-throated Whitestart, *Myioborus miniatus* - C
- Spectacled Whitestart, *Myioborus melanocephalus* - C
- Black-crested Warbler, *Basileuterus nigrocristatus* - C
- Citrine Warbler, *Basileuterus luteoviridis* - FC
- Three-striped Warbler, *Basileuterus tristriatus* - FC
- Russet-crowned Warbler, *Basileuterus coronatus* - C
- [Purple Honeycreeper, *Cyanerpes caeruleus* - Río Numbala]
- Bananaquit, *Coereba flaveola* - U
- [Purple Honeycreeper, *Cyanerpes caeruleus* - Río Numbala]
- Golden-collared Honeycreeper, *Iridophanes pulcherrimus* - R
- [Blue Dacnis, *Dacnis cayana* - below Valladolid; Río Numbala]
- [Black-faced Dacnis, *Dacnis lineata* - below Valladolid; Río Numbala]
- Blue-backed Conebill, *Conirostrum sitticolor* - FC
- Capped Conebill, *Conirostrum albifrons* - U
- Bluish Flowerpiercer, *Diglossopsis caerulescens* - U
- Masked Flowerpiercer, *Diglossopsis cyaneus* - C
- Glossy Flowerpiercer, *Diglossa lafresnayii* - C
- White-sided Flowerpiercer, *Diglossa albilatera* - FC
- [Guira Tanager, *Hemithraupis guira* - below Valladolid]
- Rufous-chested Tanager, *Thlypopsis ornata* - U
- [Buff-bellied Tanager, *Thlypopsis inornata* - below Valladolid]
- Fawn-breasted Tanager, *Pipraeidea melanonota* - U
- [Blue-naped Chlorophonia, *Chlorophonia cyanea* - Río Numbala]
- Chestnut-breasted Chlorophonia, *Chlorophonia pyrrhophrys* - R
- [Golden-rumped Euphonia, *Euphonia cyanocephala* - below Valladolid]
- Orange-bellied Euphonia, *Euphonia xanthogaster* - FC
- Bronze-green Euphonia, *Euphonia mesochrysa* - R
- [Orange-eared Tanager, *Chlorochrysa caliparaea* - Río Numbala]

- [Golden Tanager, *Tangara arthus* - below Valladolid; Río Numbala]
- Saffron-crowned Tanager, *Tangara xanthocephala* - FC
- [Golden-eared Tanager, *Tangara chrysotis* - below Valladolid; Río Numbala]
- Flame-faced Tanager, *Tangara parzudakii* - FC
- Golden-naped Tanager, *Tangara ruficervix* - U
- Blue-browed Tanager, *Tangara cyanotis* - VR
- Metallic-green Tanager, *Tangara labradorides* - FC
- Beryl-spangled Tanager, *Tangara nigroviridis* - FC
- Blue-and-black Tanager, *Tangara vassorii* - FC
- Silver-backed Tanager, *Tangara viridicollis* - U
- [Straw-backed Tanager, *Tangara argyrofenges* - below Valladolid; Río Numbala]
- Blue-necked Tanager, *Tangara cyanicollis* - U
- [Paradise Tanager, *Tangara chilensis* - Río Numbala; below Valladolid]
- [Spotted Tanager, *Tangara punctata* - below Valladolid (rare); Río Numbala]
- [Bay-headed Tanager, *Tangara gyrola* - below Valladolid; Río Numbala]
- Yellow-throated Tanager, *Iridosornis analis* - U
- Golden-crowned Tanager, *Iridosornis rufivertex* - U
- Scarlet-bellied Mountain Tanager, *Anisognathus igniventris* - FC
- Lacrimose Mountain Tanager, *Anisognathus lacrymosus* - FC
- Blue-winged Mountain Tanager, *Anisognathus somptuosus* - FC
- Hooded Mountain Tanager, *Buthraupis montana* - FC
- Masked Mountain Tanager, *Buthraupis wetmorei* - R
- Black-chested Mountain Tanager, *Buthraupis eximia* - R
- Buff-breasted Mountain Tanager, *Dubusia taeniata* - FC
- Grass-green Tanager, *Chlorornis riefferii* - FC
- Rufous-crested Tanager, *Creurgops verticalis* - U
- [Swallow Tanager, *Tersina viridis* - below Valladolid]
- Blue-gray Tanager, *Thraupis episcopus* - FC
- [Palm Tanager, *Thraupis palmarum* - below Valladolid]
- Blue-capped Tanager, *Thraupis cyanocephala* - U
- Silver-beaked Tanager, *Ramphocelus carbo* - U
- [Vermilion Tanager, *Calochaetes coccineus* - Río Numbala]
- Summer Tanager, *Piranga rubra* - R
- [White-winged Tanager, *Piranga leucoptera* - Río Numbala]
- Red-hooded Tanager, *Piranga rubriceps* - U
- White-lined Tanager, *Tachyphonus rufus* - U
- Common Bush Tanager, *Chlorospingus ophthalmicus* - U

- Ashy-throated Bush Tanager, *Chlorospingus canigularis* - U
- [Yellow-throated Bush Tanager, *Chlorospingus flavigularis* - Río Numbala]
- Yellow-whiskered Bush Tanager, *Chlorospingus parvirostris* - U
- Gray-hooded Bush Tanager, *Cnemoscopus rubrirostris* - FC
- Black-capped Hemispingus, *Hemispingus atropileus* - U
- Oleaginous Hemispingus, *Hemispingus frontalis* - R
- Black-eared Hemispingus, *Hemispingus melanotis* - R
- Black-headed Hemispingus, *Hemispingus verticalis* - U
- [Magpie Tanager, *Cissopis leveriana* - below Valladolid]
- Black-faced Tanager, *Schistochlamys melanopis* - U
- White-capped Tanager, *Sericossypha albocristata* - U
- Plushcap, *Catamblyrhynchus diadema* - U
- Buff-throated Saltator, *Saltator maximus* - FC
- [Grayish Saltator, *Saltator coerulescens* - Valladolid]
- Streaked Saltator, *Saltator striatipectus* - U
- Masked Saltator, *Saltator cinctus* - R
- Southern Yellow Grosbeak, *Pheucticus chrysogaster* - VR
- [Blue-black Grassquit, *Volatinia jacarina* - below Valladolid]
- Dull-colored Grassquit, *Tiaris obscurus* - U
- [Lesser Seedfinch, *Oryzoborus angolensis* - below Valladolid]
- [Black-and-white Seedeater, *Sporophila luctuosa* - Valladolid]
- Yellow-bellied Seedeater, *Sporophila nigricollis* - U
- Plain-colored Seedeater, *Catamenia inornata* - R
- Paramo Seedeater, *Catamenia homochroa* - U
- [Band-tailed Seedeater, *Catamenia analis* - Valladolid]
- Slaty Finch, *Haplospiza rustica* - R
- [Red Pileated Finch, *Coryphospingus pileatus* - Valladolid]
- Pale-naped Brushfinch, *Atlapetes pallidinucha* - FC
- Rufous-naped Brushfinch, *Atlapetes latinuchus* - FC
- Chestnut-capped Brushfinch, *Buarremon brunneinuchus* - R
- Olive Finch, *Lysurus crassirostris* - R
- Yellow-browed Sparrow, *Ammodramus aurifrons* - U
- Rufous-collared Sparrow, *Zonotrichia capensis* - FC
- Northern Mountain Cacique, *Cacicus leucoramphus* - U
- Subtropical Cacique, *Cacicus uropygialis* - U
- Yellow-billed Cacique, *Amblycercus holosericeus* - U
- [Russet-backed Oropendola, *Psarocolius angustifrons* - below Valladolid; Río Numbala]

Shiny Cowbird, *Molothrus bonariensis* - R

[Giant Cowbird, *Molothrus oryzivorus* - below Valladolid]

Olivaceous Siskin, *Carduelis olivacea* - U